Palma+ Constantly evolving to maximise profits





Palma+

Conceived to increase your profits

The Palma+ range combines well established reliability and high performance with a competitive price helping you increase your operational vending profits.

Increase your impulse sales

An elegant design to attract consumers and an outstanding product visibility to increase sales.

- Optimised LED lighting to improve visibility.
- Clear material dividers to enhance product presentation and encourage impulse purchases.
- Stock out alternative mode to avoid empty channels.
- **Direct selection buttons** can be freely assigned to products with higher margin. Available in Palma+ H87 models equipped with the XtraDrinks channel.
- **Easily adjustable price displays** as an option that allow operators to change prices in real-time, display additional product information and identify promotions. Customise the backlight of each display for additional impact.





Widen your product offering

Palma+ has been designed to sell all types of products, with or without refrigeration, on a small and large scale. Increase the higher margin product offering through:

- Easily **configurable and adjustable trays** that allow for the simple configuration of product channel widths, enabling the dispensing of different size products.
- Simultaneous dual motor operation to dispense larger products.
- Non-refrigerated models of Palma+ Hz which can vend a variety of products such as personal protective equipment, para-pharmacy etc.
- 1 or 2 temperature product zones . Adjustable down to 3°C in Palma+ H models.
- **Programmable expiry date** control on perishable products and **sanitary temperature control** system by tray.

The key is in minimizing operating costs.

Each detail in the Mistral+ series has been developed to make it more ergonomic, easy to use, reliable and safe. All for one purpose: to improve the profitability of your business.



Faster and safer product loading.

Making the operator's work easier and faster is an investment in profitability. For this reason the interior has been designed to increase the ergonomics of stocking products.

- Trays can be extracted with the door open at 90°.
- Folding upper trays.
- Trays with no sharp edges or points.
- Access to all parts from front.
- Modules designed for **70 cm doors**.





Easier and faster to configure.

The new control system with USB port caters for firmware updates, copying and downloading machine configurations and downloading EVA-DTS telemetry protocols with a simple USB mass storage device.



Minimizes expenses related to vandalism.

The Mistral+ series incorporates the **latest technology and safety accessories** so no act of vandalism will affect your profit.

- I-Detect product exit detection system.
- Automatic closing of product retrieval zone.
- 6 **anchoring points** in the payment module.
- Recessed doors and double toughened glass front.
- Optional anti-vandalism payment module.
- Optional cash box security.



PALMA+ has been developed under the **3R rule: Reduce, reuse, recycle.**



- We have **reduced energy consumption** with the incorporation of a LED lighting system, closing of the retrieval zone and improved insulation.
- Designed to **lengthen its useful life** due to its robustness.
- Made according to RoHS and WEEE European directives.



TECHNICAL CHARACTERISTICS

Palma+

	Palma+ Hz70	Palma+ Hz87	Palma+ H70
Maximum Capacity	Number of trays: 7 Number of spirals per tray: 6 Number of selections: 42	Number of trays: 7 Number of spirals per tray: 8 Number of selections: 56	Number of trays: 7 Number of spirals per tray 6 Number of selections: 30
Standard configuration	Number of trays: 5+1 adjustable Can/Bottle channel: No Number of selections: 29 Direct selections: - Capacity: 267 Snacks: 201 Sandwiches: 0 Can Bottles: 66 $\boxed{7 \qquad 7 \qquad 7}\\\hline 8 \qquad 10 \qquad 13\\\hline 44 \qquad 22 \qquad 19 \qquad 15 \qquad 13 \qquad 11\\\hline 5^* \qquad 5^* \qquad 5^* \qquad 5^* \qquad 5^*\\\hline 5 \qquad 5 \qquad 5 \qquad 5 \qquad 5 \qquad 5\\\hline 6 \qquad 6 $	Number of trays: 5+1 adjustable Can/Bottle channel: No Number of selections: 34 Direct selections: - Capacity: 223 Snacks: 175 Sandwiches: 0 Can Bottles: 48 7 7 7 7 7 7 7 7 7 7	Number of trays: 5+1 adjustable Can/Bottle channel: No Number of selections: 30 Direct selections: - Capacity: 278 Snacks: 214 Sandwiches: 64 Can Bottles: 0 $\boxed{7 \qquad 7 \qquad 7} \qquad 7$ 8 \qquad 10 \qquad 10 22 15 15 13 11 11 19 19 13 11 8 8 5 ^s 5 ^s 5 ^s 5 ^s 5 ^s 5 ^s 5 ^s 5 5 5 5 5 7 7
Programming, connectivity and communications	EXE/MDB protocols EVA-DTS protocol		
Sensors	I-Detect vend system		
70 cm door clearance	Yes	-	Yes
Dimensions and weight	Height: 1830mm Width: 723mm Depth: 840mm Weight: 250Kg	Height: 1830mm Width: 888mm Depth: 840mm Weight: 325Kg	Height: 1830mm Width: 723mm Depth: 865mm Weight: 270Kg
	Palma+ Hz70 Palma+ Hz87	1830 mm	Palma+ H70
	→ 723 mm → 888 mm	<u>, 840 mm</u> ,	▶ 723 mm ,

TECHNICAL CHARACTERISTICS

Palma+

	Palma+ H87	Palma+ H87 XtraBottles	Palma+ H87 XtraCans	
Maximum Capacity	Number of trays: 7 Number of spirals per tray: 8 Number of selections: 56	Number of trays: 7 Number of spirals per tray: 8 Number of selections: 56	Number of trays: 7 Number of spirals per tray: 8 Number of selections: 56	
Standard configuration Snacks Sandwiches / Food Can/Bottle	Number of trays: $5+1$ adjustable Can/Bottle channel: No Number of selections: 36 Direct selections: - Capacity: 300 Snacks: 212 Sandwiches: 40 Can Bottles: 48 7 7 7 7 7 8 8 10 10 13 13 10 10 13 13 10 10 19 19 13 13 11 11 8 8 5 5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6	Number of trays: $5+1$ adjustable Can/Bottle channel: Si Number of selections: 36 Direct selections: 6 Capacity: $300 + 54$ Snacks: 212 Sandwiches: 40 Can Bottles: $48 + 54$ 7 7 8 10 13 13 19 13 19 13 5* 5* 5* 6 6 6 6 6 6 Bottle channel I	Number of trays: $5+1$ adjustable Can/Bottle channel: Si Number of selections: 36 Direct selections: 6 Capacity: $300 + 54$ Snacks: 212 Sandwiches: 40 Can Bottles: $48 + 54$ 10 13 13 19 13 19 13 19 13 19 13 13 11 19 13 5* 5* 5* 6 6 6 6 6 6 6 6 6 Can channel	
Programming, connectivity and communications	EXE/MDB protocols EVA-DTS protocol			
Sensors	I-Detect vend system			
70 cm door clearance	Yes	Yes	Yes	
Dimensions and weight	Height: 1830mm Width: 888mm Depth: 875mm Weight: 340Kg	Height: 1830mm Width: 888mm Depth: 875mm Weight: 352Kg	Height: 1830mm Width: 888mm Depth: 875mm Weight: 352 Kg	
Energy	Voltage : 230 V Maximum Power: 500 W			

A wide range to suit your business model

Palma+Hz

- Ambient & Chilled.
- Snacks + Cold drinks.
- Non-refrigerated models available for personal protective equipment, para-pharmacy etc.





Palma+ Hz70

Palma+ Hz87

Palma+ H

- Refrigerated Down to 3°C.
- Snacks + Food + Cold drinks.



Palma+ H70



Palma+ H87



Palma+ H87 XtraDrinks

AZKOYEN S.A. reserves the right to alter this specification without prior notice, result of technical improvements resulting from its ongoing research.

U.K.

Unit 1, Interplex 16, Ash Ridge Road Bradley Stoke, Bristol BS32 4QE Tel.: 01275 844 471 **España** Avda. San S

 Avda. San Silvestre, s/n
 Am

 31350 Peralta (Navarra)
 537

 Tel.: 948 709 709*
 Tel.

 Deutschland

 ø, s/n
 Am Turm 86

 /arra)
 53721 Siegburg

 Tel.: 02241- 595 70

France 6 Allée de Londres Le Madras Bat C2 91140 Villejust Tel.: 01 69 75 42 10 Portugal Bela Vista Office Estrada de Paço de Arcos, 66 2735-336 Cacem Tel.: 1210 985 212

Colombia

Via la Virginia, Corregimiento Caimalito. Bodega B-16. Zona Franca Internacional Pereira Tel.: +57 6 3110513 **United States**

3809 Beam Road, Suite H Charlotte, North Carolina 28217 Tel.: (803) 524-1008

Coffee & Vending Systems Division



vending@azkoyen.com www.azkoyenvending.com AZKOYEN.

